

ASSAM TEA CORPORATION LTD

(A Govt. of Assam Undertaking)

Housefed Complex, C Block, 7th floor, Dr. B.N. Saikia Road, Dispur, Guwahati – 781006

Email: ssassam30@gmail.com Tel: 0361-2234058/64 Fax: 0361-2234058

SHORT TENDER NOTICE for Tea Machinery

Ref. No. ATCL / T- 01 / 2017-18

Subject to Board ratification, Assam Tea Corporation Ltd invites sealed tenders from bona fide and reputed Company / Manufacturer / Authorised Dealers for supply of the following as per specification and details in tender document which may be downloaded from our website.

- a. Silent Diesel Generator 320 KVA
- b. Silent Diesel Generator 380 KVA
- c. Vibro Fluid Bed Dryer 280 - 370 Kg /hr MT output
- d. Vibro Fluid Bed Dryer 430 - 480 kg/hr MT output
- e. Continuous Fermenting Machine (single stage)
- f. Continuous Fermenting Machine (double stage)
- g. Rotorvane 15"
- h. CTC machine 13" x 36" 3 Cut
- i. Coal Heater for VFBD 280 – 370 kg / hr MT output
- j. Coal Heater for VFBD 430 – 480 kg / hr MT output
- k. CTC Roller Milling Machine
- l. CTC Roller chasing machine

Hard copy of pre qualification bid in form of general information as per Annexure II complete in all respects with supporting documents , earnest money etc. may be submitted to the Managing Director ATCL in the tender box at above address till 01.30 pm of 3rd February 2017 which will be opened on 4th Feb at 02:00 pm in presence of bidder representative/s if any. In case 4th Feb 17' is a holiday, pre qualification bids will be opened on the next working day. Tenderers are requested to confirm date of opening pre qualification bids / tenders or for any queries at above contact numbers.

The undersigned reserves the right to accept, reject any or all offers , to fragment job / supply order/s extend or to cancel the whole process without assigning any reason thereof.

Managing Director

ANNEXURE I :

Important instruction and information for procurement: through physical tender / E – procurement.

Ref. Tender No. ATCL / T-01 / 2017-18

1. Tenders shall be under two stage two part system (Part I: Techno- Commercial Bid and Part II: Price Bid).
2. Prior to Price bid, interested Companies / Firms shall have to qualify in the pre qualification bid.
3. Interested bidders shall have to submit off-line within stipulated date (3rd Feb 2017) the following as per tender document :
 - i. General Information as per Annexure I format confirming acceptance of payment and other terms and conditions.
 - ii. Submission of relevant documents wherever applicable
 - iii. Earnest Money Deposit in form of Demand Draft
 - iv. Technical details of offered product / machinery complete in all respects highlighting the salient features.
4. Tenderers may have to submit price bid either in hard copy (physical tender) or in E-Tender Portal of Government of Assam. This will be intimated to those qualifying in the pre qualification bid.
5. Bidders are requested to read the terms & conditions of this tender document prior to submitting pre qualification bid, EMD etc.

Tenderers not complying with the conditions alongwith submission of documentary proof (wherever applicable) will not qualify for participating in price bid.

Process of tender:

- a. Physical submission of tender: Part I – Techno commercial bid
Part II – Price bid
- b. E – tender : in case option of e tendering is resorted, the detailed procedure regarding submission of price bids etc on e portal and the guide lines thereof shall be intimated to the pre qualified bidders through e mail and also through corrigenda.

On the basis of submission of EMD and other documents at ATCL; the parties which will participate in online bid will be finalized. Only those qualified bidders will be eligible to submit on line bids.

PART I : Techno Commercial Bid

This part shall consist of the following documents in a separate cover:

- a. Filled , signed, dated and sealed Annexure II confirming bidder profile / information and acceptance of the Terms & Conditions
- b. Submission of documents as required in Annexure II
- c. Evidence of supply etc as required under Annexure II
- d. Technical specifications and commercial terms & conditions

e. EMD

PART II : Price Bid (applicable for those qualifying in Pre qualification) – not to be submitted along with Part I

This part shall consist of the following documents in a separate cover:

- a. Price bid in the format specified in Annexure IV. Prices to be quoted in Indian rupees only.
- b. Price bid should not contain any technical details and / or Commercial Terms & Conditions as the same are to be in Part I only (i.e Technical & Commercial bid)

Marking on Envelope:

Part I : offer shall be submitted in sealed envelope with bidder's distinctive SEAL and superscribed as follows:

Part I:

1. Part I – Techno Commercial Bid
2. Item tender No. and item description.
3. Due date of opening

Part II: (after pre qualification)

1. Part II – Price Bid
2. Item tender No and item description
3. Due date of opening

Unsealed envelopes or envelopes not super scribed as above will not be accepted / considered.

Bid submission:

Part I bids shall be addressed to the Managing Director and sent / delivered to the following address on or before the due date:

Part II bids (as and when applicable) shall also be addressed to the following address in case physical submission is required. This will be intimated to the pre qualified bidders separately by e mail or corrigenda.

Managing Director

Assam Tea Corporation Ltd

Housefed Complex, C – Block, 7th Floor, Dr. B. N. Saikia Road, Dispur, Guwahati – 781006, Assam.

Bids can be submitted by post/ courier also with due allowance for any postal / courier delay. Bids shall reach latest by 01:30 pm of the tender due date. Bids received after the due date and time are liable to be rejected.

Bid opening:

1. Part I (Techno Commercial Bid) will be opened on the due date as specified in presence of bidders / bidder representatives who may like to attend.
2. Part II (Price Bid) will be opened only for such offers, which qualify in Part I. Date and time of Price bid /opening Price bid shall be intimated to the commercially acceptable bidders only.
3. Not more than two representatives will be permitted to be present for tender opening

List of Annexures:

Important instruction:	Annexure I
General information/ Bidder Profile:	Annexure II
Technical specification & scope:	Annexure III
Price sheet:	Annexure IV
All corrigenda or clarifications if any shall be hosted on website of ATCL www.assamteacorp.in	

Tender schedule:

1.	Tender No.	ATCL / T – 01 / 2017-18
2.	Mode of tender	Physical submission of Part I (Techno Commercial Bid). Parties qualifying in pre qualification bid shall be intimated by e mail whether Part II needs to be submitted in physical form or through E – tendering portal of Govt. of Assam
3.	EMD and others	EMD as mentioned in tender document - machinery type wise irrespective of number of units bidder is interested in shall have to be deposited in form of DD in favour of Assam Tea Corporation Limited payable at Guwahati. For clarification contact through mail ssassam30@gmail.com or contact Group Engineer, ATCL at 09435191433
4.	Last date of submission of EMD & other documents (Part I)	3 rd February 2017 by 01:30 PM
6.	Date & time of opening of Part I	4 th Feb 2017 at 2:00 PM
7.	Date & time of submission of Financial Bid Part II (Physical or through E Portal)	To be intimated by email to eligible bidders or through corrigenda
8.	Date & time of opening of Part II	To be intimated by email to eligible bidders or corrigenda
9.	CORRIGENDUM	as and when applicable

ANNEXURE II : Bidder Profile / General Information to be submitted by Bidders alongwith EMD

(to be submitted in Bidder Company letter head addressed to Managing Director, Assam Tea corporation Ltd)

1. Name of the Company / Firm :

2. Address in full :

- Telephone No., :
- Fax No. :
- Email ID :
- Contact Cell Nos. :
 - i.
 - ii.

3. Status of organization (Proprietorship/Ltd. etc):
4. Trade license No. (with copy of license):
5. Name(s) of person(s) authorized to sign documents on behalf of Bidder with specimen signature(s) :
6. Number of years in tendered item business:
7. Banker's detail (name of Bank):
8. Bank branch:
9. Bank address (with copy of Banker's certificate) :
10. Sales Tax Registration No. :
 - i. State / VAT (with copy of certificate):
 - ii. Central (with copy of certificate):
- 10 I.T. Permanent Account No.:
- 11 Financial capacity:

	Year (2015 – 16)	Year (2016-17)
i. Fixed Capital		
ii. Working Capital		
iii. Annual turnover		
- 12 EMD details:
- 13 Registered vendor of Tea Board: YES / NO
- 14 Entire supply shall reach site within.....weeks from date of order
- 15 Installation & Commissioning within.....weeks from date of delivery at site
- 16 Details of experience towards supply of tendered item/s to reputed Tea Companies:
- 17 Details of experience towards supply of tendered item to Tea Companies during last two years (year wise) along with supporting documents :
- 18 Details of offered machinery item /s : (attach separate sheet/s):

Declaration:

I / We hereby certify that the particulars furnished by me / us above are true to the best of my / our knowledge and belief and mis-representation of facts will render me / us liable to any action as may be deemed fit by Assam Tea Corporation Ltd and have sole discretion to reject or accept my / our tender / quotation.

I / We also hereby declare that the terms and conditions in the tender document are acceptable to me / us.

(Name & Signature of Applicant)

Office Stamp / Seal

Place:

Date:

List of enclosures:

Note:

- i. The applicants are required to furnish full information to the queries in this form with relevant supporting documents for evidencing the information furnished in the application. Without supporting documents tenders liable to be rejected.
- ii. Tender / Quotation liable to be rejected without copy of order/s from reputed Tea Company evidencing supply of tendered item to Tea company/s (during last two years) – Attach separate sheet wherever required -.
- iii. Tenderers shall submit separate Annexure II against each category of machinery alongwith category wise EMD and relevant applicable documents.

ANNEXURE – III :

Scope of work: Supply as per specification, FOR garden including installation , commissioning at site.

General specification:

1. Diesel Generator:

ATCL / T-01A / 2017-18

(A) Silent DG set developing at 1500 rpm 320 KVA @ 0.8 pf lag, 415 V, frequency 50 Hz at NTP conditions with brushless Stamford / KEC make 320 KVA / 415V (AC 3 Phase) alternator mounted on a common MS channel base frame with AVM pads including standard panel, fuel tank, battery with leads and acoustic enclosure. Conforming to MoEF / CPCB norms with provision of 10% overload for one hour in every 12 hours of operation.

ATCL / T-01B / 2017-18

(B) Silent DG set developing at 1500 rpm 380 KVA @ 0.8 pf lag, 415 V , frequency 50 Hz at NTP conditions with brushless Stamford / KEC make 380 KVA / 415V (AC 3 Phase) alternator mounted on a common MS channel base frame with AVM pads including

standard panel, fuel tank, battery with leads and acoustic enclosure. Conforming to MoEF / CPCB norms with provision of 10% overload for one hour in every 12 hours of operation.

Each DG set shall comprise the following and specifications to be mentioned as follows amongst others:

- (a) Engine: Water cooled radiator type , 4 stroke, turbocharged diesel engine complete with accessories.

No of cylinders (In-line or V type)

Warranty, Additional warranty

Lub oil capacity , Lub oil change period

Coolant capacity (engine + radiator) , Coolant change period

Silencer grade (Hospital / Industrial)

Aspiration , Engine governing class

Starting system, No of batteries , Battery volts , Battery AH , Battery charging system

Fuel consumption in lts/hr at 100% load (with radiator & fan)

Fuel consumption in lts/hr at 75% load (with radiator & fan)

Lub oil consumption gms/hr at full load

- (b) Alternator: Stamford / KEC make 320 KVA / 380 KVA as applicable complete with accessories

Insulation class , AVR type

Alternator efficiency at 100 load

Max voltage dip at full load 0.8 pf lag

Genset governing class

Weatherproof control panel with 14/16 gauge sheet, powder coated with MCCB of suitable rating with overload and short circuit protections, engine metering, AC metering, engine protection system, alternator protection, data logger

Certifications meeting requirement of relevant standards eg. UL, NFPA, ISO, IEC, MIL Std, CE, etc

2. **Vibro Fluid Bed Dryer:**

Complete Vibro Fluid Bed Dryer Machine in all respects including electricals along with independent feed control arrangement having facility for on line process and matching CTC – Fermenting – Dryer feed and having following feature / attachments / facilities.

The equipment shall be connected with Gas fired Heater at Cinnamara and Sycotta TEs

The equipment shall be connected with Coal fired Heater at Amluckie, Loongsoong, Negheriting TEs

ATCL / T-01C / 2017-18

(A) Output Capacity: 280 - 370 kgs/hour made tea with moisture content in fermented leaf 71% to 72% and moisture content in made tea 2 – 2.8/3 %

ATCL / T-01D / 2017-18

(B) Output Capacity: 430 - 480 kgs/hour made tea with moisture content in fermented leaf 71% to 72% and moisture content in made tea 2 – 2.8/3 %

Vibro should be Eccentric type

All contact parts in wet zones including dust extraction should be stainless steel

Performance guarantee as well as output guarantee to be given

Proven fuel consumption per kg made tea to be given

All electrical motors should be energy efficient (IE 3) and with star delta starter make - havells/Siemens/ABB/L&T

Total power requirement in HP to be mentioned – separately for drying system and dust collection system

Control panel with automated instrumentation with emergency alarm and power capacitors for all motors, digital display and analog display

Total heat requirement K Cal/Hrs for the desired output

Performance curve may be furnished

List of spares for 2 yrs to be provided

3. **Continuous Fermenting Machine:**

ATCL / T-01E / 2017-18

(A) Continuous PES Fermentor (single stage) complete in all respects including electricals:

ATCL / T-01F / 2017-18

(B) Continuous PES Fermentor (double stage) complete in all respects including electricals:

Capable of handling processed leaf output of 2 nos 13"x 36"x 3 cut each CTC machines at a time during peak plucking season AND also suitable to handle processed leaf output of only 1 No 13"x 36"x 3 cut CTC machine during lean plucking season.

Aerodynamically designed stainless steel modular hoopers to supply humidified fresh air to the tea bed

Endless full width PES Nylon woven fabric belt

Endless full width feed conveyor belt

Mechanical variable speed drive for 40 – 120 minutes residence time

Hinged comb plough/s and rotary brush/s

Humidification chamber to supply humidified air to maintain proper RH% on the tea bed upto 20 -24 ft ducting

Water pump for humidification

Centrifugal fan for humid air

SS humid air duct for whole machine length

SS Leveller assembly with drive arrangement

Plough assembly with drive arrangement

Belt tracking system : sensor based zero tracking system

Belt cleaning system : forward & reverse self cleaning

Suitable comb/s (with SS bar) at appropriate place/s

Material to be used in modules: SS food grade quality

Control panel: Console type for electric motor operation with digital type meters such as volt meter, temperature meter, frequency meter etc
Temperature sensor: Digital type at every module
Main drive arrangement: Mechanical variable drive system / frequency / variable drive system

4. Rotorvane:

ATCL / T-01G / 2017-18

Stainless Steel Rotorvane complete in all respects including electrical with all working parts, hopper, trunion, discharge pressure control fittings etc mounted on sturdy pedestal
Radicon Gear box, U-800, with ratio 20:01, direct coupled
Greaves certified original Gear box
Dia of barrel – inner 15”, outer dia 17”, length 52” having stainless steel worm with 8” pitch
Stainless steel vanes 11 nos, all forward vanes (6 nos large bore & 5 nos small bore)
Stainless steel resistors 4 rows, having 12 resistors in each row. Total 48 nos resistors with SS IRIS end plate opening.
Necessary electrical energy efficient motor (IE-3) of 20 HP 9 Siemens / ABB with suitable star delta starter & switch – make Siemens/ABB/L&T

5. CTC machine:

ATCL / T-01H / 2017-18

CTC machine complete in all respects including electricals – size 13” dia X 36” wide X 3 cut having the following broad specifications / features and scope of supply:
Size of each cut 36” width X 13” dia. having a pair of dynamically balanced HS & SS Rollers fitted with SS segments with cage unit bearing and oil seal and one pair spare with segments but without cage unit bearing and oil seal.
Grade AISI – 201 stainless steel (Ni 3.5 – 5.5%) segments – 252 Nos
Heavy duty pedestal with sturdy construction for vibration free performance
Heavy duty gear box, Motors (Energy Efficient Motors (IE -3) – Siemens/ABB/Havells
Suitable starters – Siemens/L&T/Havells
Top quality/imported PVC belt (3mm thickness) with zero tracking arrangement for main conveyor.
Interchangeability of conveyors, Chain sprocket drives for conveyor belt
Full length stainless steel guard arrangement to control spillage
One lifting tackle per CTC machine for easy removal of rollers and trolley for carrying those
Extended discharge conveyor as per requirement
Instant de jamming arrangement, improved axial pitch adjustment , meshing arrangement
Unique moving cover with zero tracking arrangement , hydraulic piston arrangement for easy lifting of moving cover (preferable)
Housing: one set each for HS and SS
Microdial: one pair
Split type cage unit housing
Detachable compact cage unit with bearings
Interchangeability of rollers (HS & SS and vice versa)

Air cooling arrangement complete with suitable HP blower and necessary PVC piping with fittings CTC machine wise / Cut wise
Safety guards should be of improved design as per HACCP/ISO standard requirements

6. **Coal Heater:**

ATCL / T-01 I / 2017-18

(A) Coal Heater (Multiple Pass) complete in all respects including electricals, pressure tested CI/MS/SS tube banks and insulated outer casing suitable/compatible for VFBD tea dryers - (made tea output 280 - 370 Kg /hr)

ATCL / T-01 J / 2017-18

(B) Coal Heater (Multiple Pass) complete in all respects including electrical, pressure tested CI/MS/SS tube banks and insulated outer casing suitable/compatible for VFBD tea dryers - (made tea output 430 - 480 Kg /hr)

ATCL / T-01K / 2017-18

(C) Coal Heater (Multiple Pass) complete in all respects including electrical, pressure tested CI/MS/SS tube banks and insulated outer casing suitable/compatible for 6M Tempest Dryer

Heater to be also operable with different kinds of solid fuel viz: fire wood, leco, briquetted waste, etc gas firing and liquid fuel viz: furnace, diesel oil.

Suitable Mechanical Chain Grate Stoker for Coal Heater

Heater front plate, CI doors/ guillotine, arch, feed hooper, sturdy centre arch bars etc

FD fan complete with energy efficient motor/s (IE-3) Siemens/ABB, starters etc

ID fan complete with energy efficient motor/s (IE-3) Siemens/ABB, starters etc

Thermometer/s, Operating / Control consoles, DC motors with gear box etc to operate all drives

All accessories, connecting ducts, nuts, bolts, asbestos packing materials, refractory materials, glass wool etc

150 nos fire bricks IS 6, 3 bags fire cement of ACC / TATA, suitable asbestos jointing materials of "Champion" brand, 7 tins " Sirocco" compound – 25 kgs per tin, suitable fasteners also to be supplied alongwith each heater.

7. **Milling / Chasing machine:**

ATCL / T-01 L / 2017-18

Set of MILLING machine, CHASING machine, Digital Read Out, Roller checking Jig, Double end chaser and cutter grinder.

Milling machine: Heavy duty graded iron bed special purpose machine for fully automatic, helical milling of CTC rollers complete in all respects motors and accessories. Sturdy head stock with phosphor bronze worm wheel, maintenance free linear guide ways on both axes, control panel, suitable for upto 330 mm dia CTC rollers of 24" to 42" width, self centering arrangement , coolant system, drives suitable for 3 phase tea garden electric supply, necessary safety guards, pulleys, gears, v belts complete in all respects.

Chasing machine: Dedicated CTC roller chasing machine complete in all respects.

Location of garden factory / site:

Tentative requirement (1 no. of each item mentioned against garden). The actual requirement may vary and decision of the Corporation in this regard shall be final.

Cinnamara TE, P.O. Cinnamara, Jorhat, Assam – Dryer, Genset, Milling – Chasing m/c

Sycotta TE, P.O. Kharikatia, Jorhat, Assam – Dryer, Genset

Negheriting TE, Dergaon, Golaghat, Assam – Dryer, Coal Heater, CFM, CTC, Genset, Milling – Chasing m/c

Amluckie TE, Amoni – Salona, Nagaon, Assam – Dryer, Coal Heater, CTC, Genset

Loongsoong TE, Samuguri - Chapannalla, Nagaon, Assam – Dryer, Coal Heater, CFM, CTC, Genset, Milling, Chasing m/c

Deepling TE, Sonari/ Moran – Bhojo, Sibsagar/Charaideo, Assam – Dryer, Coal Heater, CFM, CTC, Genset, Milling – Chasing m/c

Information / Data to be furnished:

- i. Catalogue with complete specification of offered item/s
- ii. List of clientele/ user list for tea gardens, preferably Assam Quality gardens along with supporting order copies. Supply of minimum 20 machines per year for last two years will be one of the selection criteria.
 1. Additional preferable criteria: On time supply, installation record, No of years in business, quality awards, total unconditional responsibility to maintain the machine/ equipment for 3 years in form of AMC at no extra cost.
- iii. Details of after sales & service facilities available at Jorhat/Dibrugarh/Tinsukia/Tezpur Assam alongwith name and mobile no. of Service Engineers
- iv. The bidders must be registered vendors of Tea Board under QUPDS etc . A copy of certificate to this effect to be submitted.

General Terms & Conditions:

2. Supply as per specification or better, FOR garden on “ DOOR delivery basis ” including installation and commissioning at site.
3. The entire work of supply, installation & commissioning is to be completed within shortest possible period within 15th Mar 2017.
4. The bidders are requested to record / indicate their best possible delivery, installation, commissioning period.
5. Quoted rate should be all inclusive but VAT/Sales tax, delivery cost should be shown separately.
6. Price variation: The rate should remain firm during pendency of the contract
7. Liquidated damage: In the event of failure on your part to complete the entire scope of correct, specific work against the contract to our satisfaction within the specified period of completion, ATCL may recover as L/D a sum equivalent to ½ % of the material value for each week or any part thereof default, where the delivery thereof will be accepted

after expiry of the date stipulated for this purpose but limited to a maximum of 10% of material value.

8. Risk purchase: In case the tenderer fails to execute the contract fully or partially, the purchaser shall have the right to execute the work through other agencies, as decided by the purchaser at the tenderer's risk after giving two weeks notice in writing.
9. Force Majeure: Any delay or failure in the performance of either party hereto will not constitute default thereunder or give rise to any claim for damages, if any, to the extent such delays or failure of performance is caused by the occurrence such as acts of God or public enemy, appropriation or confiscation of facilities by Govt. Authorities, acts of war, rebellion or sabotage, fires, explosions, riots, illegal strike etc within purview of real meaning of Force Majeure as per law.

Note:

Tenderers to note that during selection of machines / items maximum weightage shall be on techno commercial part as decided by the Purchase committee of ATCL based on grading system and not necessarily on the price bid alone. Tenderers / bidding L1, L2, etc rate may or may not be allotted the job / work / supply order merely on basis of lowest rate quoted. Decision by Managing Director in this regard shall be binding on all bidders and no claim for award of supply etc order entirely on L1 basis shall be entertained. Selection of machine shall be guided by compatibility of product / item with ATCL set up and the type of output desired from the machine locality / belt wise and policy of the Corporation. To ensure smooth supply throughout the contractual period, the total quantity of order may be fragmented among qualified bidders purely on techno commercial criteria acceptable to ATCL and not necessarily on L1, L2, L3 etc rates.

10. Terms of Payment:
 - i. 30% of material value as advance against Bank Guarantee of equivalent amount to be valid till entire material reaches site
 - ii. 60% of material value together with 100% taxes & duties, packing and forwarding, freight & insurance charges within 10 days of date of receipt at site.
 - iii. 100% charges for installation & commissioning within 15 days from the date of commissioning duly certified by the Garden-in-charge
 - iv. Balance 10% of material value within 15 days from date of commissioning duly certified by Garden-in-charge against Bank Guarantee of equivalent amount valid till guarantee period
11. Guarantee period: The equipment must be guaranteed against defective material, faulty workmanship and desired performance for a period of minimum 12 months from date of commissioning.
12. Validity: The offer must be valid for a period of 120 days from date of submission of Part I, Part II.
13. Incomplete " Quotation / Offer " or without earnest money is liable to be rejected
14. The tenderers will have to deposit Earnest Money in form of DD in favour of Assam Tea Corporation Limited, payable at Guwahati which will be converted into Security Deposit for the successful bidder/s and will be released on completion of delivery. Earnest Money / Security deposit will be forfeited if bidder withdraws before finalization, after award of bid / supply etc order or is unable to carry out order.

15. Decision for awarding contract / job is vested with the Managing Director so as to reject, split / fragment as deemed fit.
16. Managing Director reserves the right to fragment the job / order without assigning any reason thereof. In all matters decision of the Managing Director will be final and binding.
17. EMD amount to be deposited:
 - Rs. 60,000/- against Dryer/s tender
 - Rs. 60,000/- against Heater/s tender
 - Rs. 60,000/- against Genset/s tender
 - Rs. 60,000/- against CFM/s tender
 - Rs. 60,000/- against CTC/s tender
 - Rs. 30,000/- against Rotorvane/s tender
 - Rs. 30,000/- against Milling, Chasing machine tender.EMD and SD will not bear any interest.

18. Offer shall be kept valid for 4 months from the due date of tender opening (Part I , Part II) for ATCL acceptance
19. Bidders shall quote the rates in English language and international numerals only.
20. Any format not properly filled, partially filled or not filled will make the bids liable for rejection. Bidders are requested to note that all columns, rows and spaces provided to fill up the data must be filled with relevant data without fail. In case any bidder fails to do so or fills up irrelevant data, ATCL is not bound to seek clarifications on such items and will be free to reject the tender summarily.
21. The acceptance of bid will rest with ATCL and does not bind it to accept the lowest or any bid, ATCL may also increase or decrease the quantities of the items and ATCL reserves to itself, full rights for the same without assigning any reasons whatsoever.
22. Although offers will be evaluated keeping in mind the lowest total cost to ATCL for the entire scope of machinery, as aforesaid it will not bind itself in accepting L1 rate merely because of cost factor but will be guided by wide acceptance of the product in Assam tea gardens and the output desired by ATCL and compatibility factors. The decision of ATCL in this regard shall be final and no claim / correspondence in this regard will be entertained.
23. Order/contract shall not be sub contracted, assigned or otherwise transferred without prior written consent from ATCL.
24. ATCL reserves the right to negotiate the tender, modify / alter the scope and requirements if required .

25. Purchaser's liabilities: ATCL will be providing the following as may be required during erection / installation and commissioning.
 - i. All related civil work
 - ii. Food & Lodging to the Service Engineer/s at the time of installation and commissioning
 - iii. Road Permit as may be necessaryAll disputes subject to Gauhati High Court jurisdiction only.

ANNEXURE IV

The rates may be quoted as per following format

Price sheet for Generator (320 KVA):

Item description	Quantity / Unit	Delivery location	Basic rate of equipment	Packing & Forwarding	Freight Rs/MT	Excise duty / Edu cess	VAT %	CST	All inclusive rate / MT (Rs)-FOR garden basis
		Cinnamara							
		Sycotta							
		Negheriting							
		Amluckie							
		Loongsoong							
		Deepling							

Price sheet for Generator (380 KVA):

Item description	Quantity / Unit	Delivery Location	Basic rate of equipment	Packing & Forwarding	Freight Rs/MT	Excise duty / Edu cess	VAT %	CST	All inclusive rate / MT (Rs)-FOR garden basis
		Cinnamara							
		Sycotta							
		Negheriting							
		Amluckie							
		Loongsoong							
		Deepling							

Price sheet for VFBD:

Type (A)

Item description	Quantity / Unit	Delivery Location	Basic rate of equipment	Packing & Forwarding	Freight Rs/MT	Excise duty / Edu cess	VAT %	CST	All inclusive rate / MT (Rs)-FOR garden basis
		Cinnamara							
		Sycotta							
		Negheriting							
		Amluckie							
		Loongsoong							
		Deepling							

Price sheet for VFBD:

Type (B)

Item description	Quantity / Unit	Delivery Location	Basic rate of equipment	Packing & Forwarding	Freight Rs/MT	Excise duty / Edu cess	VAT %	CST	All inclusive rate / MT (Rs)-FOR garden basis
		Cinnamara							
		Sycotta							
		Negheriting							
		Amluckie							
		Loongsoong							
		Deepling							

Price sheet for CFM (single stage):

Item description	Quantity / Unit	Delivery Location	Basic rate of equipment	Packing & Forwarding	Freight Rs/MT	Excise duty / Edu cess	VAT %	CST	All inclusive rate / MT (Rs)-FOR garden basis
		Negheriting							
		Loongsoong							
		Deepling							

Price sheet for CFM (double stage):

Item description	Quantity / Unit	Delivery Location	Basic rate of equipment	Packing & Forwarding	Freight Rs/MT	Excise duty / Edu cess	VAT %	CST	All inclusive rate / MT (Rs)-FOR garden basis
		Negheriting							
		Loongsoong							
		Deepling							

Price sheet for Rotorvane:

Item description	Quantity / Unit	Delivery location	Basic rate of equipment	Packing & Forwarding	Freight Rs/MT	Excise duty / Edu cess	VAT %	CST	All inclusive rate / MT (Rs)-FOR
------------------	-----------------	-------------------	-------------------------	----------------------	---------------	------------------------	-------	-----	------------------------------------

									garden basis
		Negheriting							
		Amluckie							
		Loongsoong							
		Deepling							

Price sheet for CTC m/c:

Item description	Quantity / Unit	Delivery location	Basic rate of equipment	Packing & Forwarding	Freight Rs/MT	Excise duty / Edu cess	VAT %	CST	All inclusive rate / MT (Rs)-FOR garden basis
		Negheriting							
		Amluckie							
		Loongsoong							
		Deepling							

Price sheet for Coal Heater:

Type (A)

Item description	Quantity / Unit	Delivery location	Basic rate of equipment	Packing & Forwarding	Freight Rs/MT	Excise duty / Edu cess	VAT %	CST	All inclusive rate (Rs)-FOR garden basis
		Negheriting							
		Amluckie							
		Loongsoong							
		Deepling							

Type (B)

Item description	Quantity / Unit	Delivery location	Basic rate of equipment	Packing & Forwarding	Freight Rs/MT	Excise duty / Edu cess	VAT %	CST	All inclusive rate (Rs)-FOR garden basis
		Negheriting							
		Amluckie							
		Loongsoong							
		Deepling							



ASSAM TEA CORPORATION LIMITED

(A Government of Assam Undertaking)

Housefed Complex, C Block, 7th floor.

Dr. B.N. Saikia Road, Dispur, Guwahati, Assam-781006

Tel: 0361-2234064 Fax: 0361-2234058

www.assamteacorp.in CIN: U01132AS1972SGC001363 email: ssassam30@gmail.com

ATC / ADV / 2006-15 /

Dated: 10-02-16

To
M/S Luit Advertising
Jatia
Guwahati, Assam

Sub: Advertisement matter

Dear Sir

We are enclosing herewith an advertisement material regarding supply of Fertilizer, Agro chemicals, poly sleeves etc to our estates.

The advertisement is to be published positively on 14th Feb 2016 in the "Assam Tribune".

Please submit your bill with copy of the advertisement for settlement in due course.

Yours faithfully

Managing Director

Copy to:

CFO, ATCL

Consultant, ATCL

Managing Director